### REPORT DOCUMENTATION PAGE OMB No. 0704-0188 Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for falling to comply with a collection of Information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS. 3. DATES COVERED (From - To) 1. REPORT DATE (DD-MM-YYYY) 2. REPORT TYPE Technical Papers 4. TITLE AND SUBTITLE 5a. CONTRACT NUMBER 5b. GRANT NUMBER lease see 5c. PROGRAM ELEMENT NUMBER 5d. PROJECT NUMBER 6. AUTHOR(S) 302 5e. TASK NUMBER 5f. WORK UNIT NUMBER 346120 8. PERFORMING ORGANIZATION 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) REPORT Air Force Research Laboratory (AFMC) AFRL/PRS 5 Pollux Drive Edwards AFB CA 93524-7048 10. SPONSOR/MONITOR'S 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) ACRONYM(S) Air Force Research Laboratory (AFMC) 11. SPONSOR/MONITOR'S AFRL/PRS NUMBER(S) 5 Pollux Drive Edwards AFB CA 93524-7048 See attack 12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited. 13. SUPPLEMENTARY NOTES 14. ABSTRACT 20030128 227 15. SUBJECT TERMS 18. NUMBER 19a. NAME OF RESPONSIBLE 17. LIMITATION 16. SECURITY CLASSIFICATION OF: OF ABSTRACT OF PAGES PERSON Leilani Richardson c. THIS PAGE 19b. TELEPHONE NUMBER a. REPORT b. ABSTRACT (include area code) (661) 275-5015 Unclassified Unclassified Unclassified

Form Approved

MEMORANDUM FOR PRS (In-House Publication)

FROM: PROI (STINFO)

24 July 2001

SUBJECT: Authorization for Release of Technical Information, Control Number: AFRL-PR-ED-VG-2001-168 C.T. Liu and J. Gonzalez (Clinical Micro Sensors), "Hybrid Experimental-Numerical J-Integral Analysis and Crack Growth Resistance of a Particulate Composite Material (Keynote Lecture)"

International Conf. on Computational Science and Engineering (Puerto Vallarta, Mexico, 20-24 August 2001) (Deadline: 14 Aug 2001) (Statement A)


d.) appropriateness for release to a foreign nation, and e.) technical sensitivity and/or economic sensitivity.  Comments:	
Signature	Date
and/or b) possible higher headquarters review.  Comments:	· · · · · · · · · · · · · · · · · · ·
Signature	Date
Comments:	IFO for: a.) changes if approved as amended, and c.) format and completion of meeting clearance form if require
Signature	Date

PHILIP A. KESSEL Technical Advisor Space and Missile Propulsion Division

Date

### PARTICULATE COMPOSITI MATERIAL HYBRID EXPERIMENTAL-NUMERICAL J-INTEGRAL ANALYSIS AND CRA GROWI

C.T Liu AFRL/PRSM 10 E. Saturn Blvd Edwards AFB, CA 93524-7680 Javier Gonzalez
Clinical Micro Sensors
757 South Raymond Ave.
Pasadena, CA 91105




### A1971.ppt

### **Objectives**

- Investigate the Inhomogeneous Nature of the Microstructure.
- Determine J-Integral Using a Hybrid Experimental-Numerical Technique.
- Investigate Crack Growth Behavior.








\* Experiment

(M/M) nistra

0.0


Strain Distributions and Integration Paths

### Normal Strain Along a∩ Integration Path










Of The  $I_{x-ray}$  mean Standard Deviation






# Standard Deviation of Strain Versus Size of Region as a Function of Applied Stress









Mean Strain (Micro Strain) Standard Deviation Of The



## Specimen Geometry









# Standard Deviation of J-Integral Versus Step Number (Applied Strain)






# J-Integral Versus Path Number as a Function of Step Number (Applied Strain)









# **Crack Growth Resistance Curve**








# J-Integral Versus Applied Strain



(m sզ) Ն




## Crack Growth Rate Versus J-Integral












### Deformed Image





Strain Distributions and Integration Paths



### Conclusions

- continuum assumption of the particulate composite The minimum area for a valid homogeneous material is 2 mm x 2 mm.
- On the macroscopic scale, the J-Integral is independent of the integration path.
- A power law relationship exists between the J-Integral and the crack growth rate.